

General Plan Safety Element Assessment

Board of Forestry and Fire Protection



June 2020

Contents

Purpose and Background.....	1
Methodology for Review and Recommendations.....	2
General Plan Safety Element Assessment.....	3
Background Information Summary.....	3
Goals, Policies, Objectives, and Feasible Implementation Measures.....	5
Section 1 Avoiding or minimizing the wildfire hazards associated with new uses of land.....	5
Section 2 Develop adequate infrastructure if a new development is located in SRAs or VHFHSZs.....	8
Section 3 Working cooperatively with public agencies responsible for fire protection.....	10
Sample Safety Element Recommendations.....	12
A. Maps, Plans and Historical Information.....	12
B. Land Use.....	12
C. Fuel Modification.....	12
D. Access.....	13
E. Fire Protection.....	13
Fire Hazard Planning in Other Elements of the General Plan.....	14
Land Use Element.....	14
Housing Element.....	14
Open Space and Conservation Elements.....	14
Circulation Element.....	14

Purpose and Background

Upon the next revision of the housing element on or after January 1, 2014, the safety element is required to be reviewed and updated as necessary to address the risk of fire for land classified as state responsibility areas and land classified as very high fire hazard severity zones. (Gov. Code, § 65302, subd. (g)(3).)

The safety element is required to include:

- Fire hazard severity zone maps available from the Department of Forestry and Fire Protection.
- Any historical data on wildfires available from local agencies or a reference to where the data can be found.
- Information about wildfire hazard areas that may be available from the United States Geological Survey.
- The general location and distribution of existing and planned uses of land in very high fire hazard severity zones (VHFHSZs) and in state responsibility areas (SRAs), including structures, roads, utilities, and essential public facilities. The location and distribution of planned uses of land shall not require defensible space compliance measures required by state law or local ordinance to occur on publicly owned lands or open space designations of homeowner associations.
- The local, state, and federal agencies with responsibility for fire protection, including special districts and local offices of emergency services. (Gov. Code, § 65302, subd. (g)(3)(A).)

Based on that information, the safety element shall include goals, policies, and objectives that protect the community from the unreasonable risk of wildfire. (Gov. Code, § 65302, subd. (g)(3)(B).) To carry out those goals, policies, and objectives, feasible implementation measures shall be included in the safety element, which include but are not limited to:

- Avoiding or minimizing the wildfire hazards associated with new uses of land.
- Locating, when feasible, new essential public facilities outside of high fire risk areas, including, but not limited to, hospitals and health care facilities, emergency shelters, emergency command centers, and emergency communications facilities, or identifying construction methods or other methods to minimize damage if these facilities are located in the SRA or VHFHSZ.
- Designing adequate infrastructure if a new development is located in the SRA or VHFHSZ, including safe access for emergency response vehicles, visible street signs, and water supplies for structural fire suppression.
- Working cooperatively with public agencies with responsibility for fire protection. (Gov. Code, § 65302, subd. (g)(3)(C).)

The safety element shall also attach or reference any fire safety plans or other documents adopted by the city or county that fulfill the goals and objectives or contains the information required above. (Gov. Code, § 65302, subd. (g)(3)(D).) This might include Local Hazard Mitigation Plans, Unit Fire Plans, Community Wildfire Protection Plans, or other plans.

There are several reference documents developed by state agencies to assist local jurisdictions in updating their safety elements to include wildfire safety. The Fire Hazard Planning, General Plan Technical Advice Series from the Governor's Office of Planning and Research (OPR), referenced in Government Code section 65302, subdivision (g)(3) and available at

1400 Tenth Street
Sacramento, CA 95814
Phone: (916) 322-2318

The Technical Advice Series is also available from the OPR website ([Technical Advice Series link](#)).^{*} The Technical Advice Series provides policy guidance, information resources, and fire hazard planning examples from around California that shall be considered by local jurisdictions when reviewing the safety element of its general plan.

The Board of Forestry and Fire Protection (Board) utilizes this Safety Element Assessment in the Board's review of safety elements under Government Code section 65302.5. At least 90 days prior to the adoption or amendment of their safety element, counties that contain SRAs and cities or counties that contain VHFHSZs shall submit their safety element to the Board. (Gov. Code, § 65302.5, subd. (b).) The Board shall review the safety element and respond to the city or county with its findings regarding the uses of land and policies in SRAs or VHFHSZs that will protect life, property, and natural resources from

unreasonable risks associated with wildfires, and the methods and strategies for wildfire risk reduction and prevention within SRAs or VHFHSZs. (Gov. Code, § 65302.5, subd. (b)(3).)

The CAL FIRE Land Use Planning team provides expert fire protection assistance to local jurisdictions statewide. Fire captains are available to work with cities and counties to revise their safety elements and enhance their strategic fire protection planning.

Methodology for Review and Recommendations

Utilizing staff from the CAL FIRE Land Use Planning team, the Board has established a standardized method to review the safety element of general plans. The methodology includes

- 1) reviewing the safety element for the requirements in Government Code section 65302, subdivision (g)(3)(A),
- 2) examining the safety element for goals, policies, objectives, and implementation measures that mitigate the wildfire risk in the planning area (Gov. Code, § 65302, subd. (g)(3)(B) & (C)), and
- 3) making recommendations for methods and strategies that would reduce the risk of wildfires (Gov. Code, § 65302.5, subd. (b)(3)(B)).

The safety element will be evaluated against the attached Assessment, which contains questions to determine if a safety element meets the fire safety planning requirements outlined in Government Code, section 65302. The reviewer will answer whether or not a submitted safety element addresses the required information, and will recommend changes to the safety element that will reduce the wildfire risk in the planning area. These recommended changes may come from the list of sample goals, policies, objectives, and implementation measures that is included in this document after the Assessment, or may be based on the reviewer's knowledge of the jurisdiction in question and their specific wildfire risk. By answering the questions in the Assessment, the reviewer will determine if the jurisdiction's safety element has adequately addressed and mitigated their wildfire risk. If it hasn't, any specific recommendations from the reviewer will assist the jurisdiction in revising the safety element so that it does.

Once completed, the Assessment should provide clear guidance to a city or county regarding any areas of deficiency in the safety element as well as specific goals, policies, objectives, and implementation measures the Board recommends adopting in order to mitigate or reduce the wildfire threat in the planning area.

General Plan Safety Element Assessment

Jurisdiction: San Diego County	Notes:	CAL FIRE Unit: MVU	Date Received: 1/27/2021
County: San Diego	LUPP Reviewer: Barkley Brian	UNIT CONTACT: Chief Nissen	Date Reviewed:

BACKGROUND INFORMATION SUMMARY

The safety element must contain specific background information about fire hazards in each jurisdiction.

Instructions for this table: Indicate whether the safety element includes the specified information. If YES, indicate in the comments where that information can be found; if NO, provide recommendations to the jurisdiction regarding how best to include that information in their revised safety element.

Required Information	Yes or No	Comments and Recommendations
Are Fire Hazard Severity Zones Identified? <i>CAL FIRE or Locally Adopted Maps</i>	YES	Page 7-16, Figure S-1,
Is historical data on wildfires or a reference to where the data can be found, and information about wildfire hazard areas that may be available from the United States Geological Survey, included?	YES	Page 7-13, Table S-2
Has the general location and distribution of existing and planned uses of land in very high fire hazard severity zones (VHFHSZs) and in state responsibility areas (SRAs), including structures, roads, utilities, and essential public facilities, been identified?	YES	Page 7-9, S-1.1 Minimize Exposure to Hazards. Minimize the populations exposed to hazards by assigning land use designations and density allowances that reflect site-specific constraints and hazards. Coordinate with SANDAG on regional planning projects that accomplish this across jurisdictions.
Have local, state, and federal agencies with responsibility for fire protection, including special districts and local offices of emergency services, been identified?	YES	Page 7-17, Regional Fire Protection. Regional coordination among fire protection agencies.
Are other fire protection plans, such as Community Wildfire Protection Plans, Local Hazard Mitigation Plans, CAL FIRE Unit or Contract County Fire Plans, referenced or incorporated into the Safety Element?	YES	Page 7-6, 7-10, The Community Wildfire Protection Plan (CWPP) Community Plan Updates. Ensure community plan updates consider the following guidance: S-5.1 Fuel Management Programs. Support programs and plans, such as Strategic Fire Plans
Are residential developments in hazard areas that do not have at least two emergency evacuation routes identified?	YES	Page 7-10 S-1.7 Evacuation Impediments, S-1.8 Community Plan Evacuation, S-1.9 Community Plan Updates.

Required Information	Yes or No	Comments and Recommendations
Have evacuation routes and their capacity, safety, and viability under a range of emergency scenarios been identified?	YES	Page 7-11, Table S-1 – Evacuation Policies

Is there any other information in the Safety Element regarding fire hazards in SRAs or VHFHSZs?

GOALS, POLICIES, OBJECTIVES, AND FEASIBLE IMPLEMENTATION MEASURES

The safety element must contain a set of goals, policies, and objectives based on the above information to protect the community from unreasonable risk of wildfire and implementation measures to accomplish those stated goals, policies, and objectives.

Instructions for this table: Critically examine the submitted safety element and determine if it is adequate to address the jurisdiction's unique fire hazard. Answer YES or NO appropriately for each question below. If the recommendation is irrelevant or unrelated to the jurisdiction's fire hazard, answer N/A. For NO, provide information in the Comments/Recommendations section to help the jurisdiction incorporate that change into their safety element revision. This information may utilize example recommendations from Sample Safety Element Recommendations and Fire Hazard Planning in Other Elements of the General Plan below, may indicate how high of a priority this recommendation is for a jurisdiction, or may include other jurisdiction-specific information or recommendations.

Section 1 Avoiding or minimizing the wildfire hazards associated with new uses of land		
Questions	Yes or No	Comments and Recommendations
Does local ordinance require development standards that meet or exceed title 14, CCR, division 1.5, chapter 7, subchapter 2, articles 1-5 (commencing with section 1270) (SRA Fire Safe Regulations) and title 14, CCR, division 1.5, chapter 7, subchapter 3, article 3 (commencing with section 1299.01) (Fire Hazard Reduction Around Buildings and Structures Regulations) for SRAs and/or VHFHSZs?	YES	Page 7-14, Minimized Fire Hazards. Minimize injury, loss of life, and damage to property resulting from structural or wildland fire hazards. Policies S-3.1, S-3.2, S-3.3, S-3.4, S-3.5, S-3.6, S-3.7, S-3.8, S-3.9
Are there goals and policies to avoid or minimize new residential development in VHFHSZs?	YES	Page 7-8 S-1.1 Minimize Exposure to Hazards
Has fire safe design been incorporated into future development requirements?	YES	Page 7-15 S-3.6 Fire Protection Plans. Ensure that development located within fire hazard areas implement measures in a Fire Protection Plan that reduce the risk of structural and human loss due to wildfire.
Are new essential public facilities located outside high fire risk areas, such as VHFHSZs, when feasible?	YES	Page 7-9, S-1.2 Public Facilities Location. Advise, and where appropriate, require new development to locate future public facilities, including new essential and sensitive facilities, in appropriate locations with respect to the County's hazardous areas and State law.
Are there plans or actions identified to mitigate existing non-conforming development to contemporary fire safe standards, in terms of road standards and vegetative hazard?	YES	Page 7-10, S-1.10 County Updates. Update County Ordinances, Standards, and Design Guidelines to integrate the best practices and regulations that reduce

Questions	Yes or No	Comments and Recommendations
		hazard vulnerability and improve resilience throughout the county.
Does the plan include policies to evaluate re-development after a large fire?	YES	Page 7-9, S-1.5 Post-disaster Reconstruction.
Is fuel modification around homes and subdivisions required for new development in SRAs or VHFHSZs?	YES	Page 7-14, S-3.1 Defensible Development. Require development to be located, designed, and constructed to provide adequate defensibility and minimize the risk of structural loss and life safety resulting from wildland fires.
Are fire protection plans required for new development in VHFHSZs?	YES	Page 7-14, S-3.6 Fire Protection Plans. Ensure that development located within fire hazard areas implement measures in a Fire Protection Plan that reduce the risk of structural and human loss due to wildfire.
Does the plan address long term maintenance of fire hazard reduction projects, including community fire breaks and private road and public road clearance?	YES	Page 7-16, S-4.1 Fuel Management Programs. Support programs and plans, such as Strategic Fire Plans, consistent with state law that requires fuel management/modification, balance fuel management needs to protect structures with the preservation of native vegetation and sensitive habitats.
Is there adequate access (ingress, egress) to new development in VHFHSZs?	YES	Page 7-15, S-3.5 Access Roads. Require development to provide additional access roads where feasible to provide for safe access of emergency equipment and civilian evacuation concurrently. The width, surface, grade, radius, turnarounds, turnouts, bridge construction, and lengths of fire apparatus access roads shall meet the requirements of the State and San Diego County Consolidated Fire Codes. All requirements and any deviations will be at the discretion of the Fire Code Official.

Questions	Yes or No	Comments and Recommendations
Are minimum standards for evacuation of residential areas in VHFHSZs defined?	YES	Page 7-6, The San Diego Operational Area Evacuation Plan
If areas exist with inadequate access/evacuation routes, are they identified? Are mitigation measures or improvement plans identified?	YES	Page 7-10, S-1.8 Community Plan Evacuation . Identify community plan areas that have reduced or limited circulation access and develop an evacuation plan, and recommended improvements to ensure adequate evacuation capabilities. Community Evacuation Plans should be developed, evaluated, and revised periodically in concert with future updates to the County's EOP Annex Q.
Are there policies or programs promoting public outreach about defensible space or evacuation routes? Are there specific plans to reach at-risk populations?	YES	Page 7-11, S-2.4 Emergency and Disaster Education Programs . Sponsor and support education programs pertaining to emergency/disaster preparedness and response protocols and procedures. Distribute information about emergency preparedness to residents, community groups, schools, religious institutions, transient occupancy establishments, and business associations.
Does the plan identify future water supply for fire suppression needs?	YES	Page 7-17, S-6.1 Water Supply . Ensure that water supply infrastructure adequately supports existing and future development and provides adequate water flow to combat structural and wildland fires. Water systems shall equal or exceed the California Fire Code, California Code of Regulations, or, where a municipal-type water supply is unavailable, the latest edition of National Fire Protection Association (NFPA) 1142, "Standard on Water Supplies for Suburban and Rural Fire Fighting."

Questions	Yes or No	Comments and Recommendations
Does new development have adequate fire protection?	YES	Page, 7-18 S-6.4 Concurrency of Fire Protection Services. Ensure that fire protection staffing, facilities, and equipment required to serve development are operating prior to, or in conjunction with, the development. Allow incremental growth to occur until a new facility can be supported by development

Section 2 Develop adequate infrastructure if a new development is located in SRAs or VHFHSZs.

Does the plan identify adequate infrastructure for new development related to:	Yes or No	Comments and Recommendations
Water supply and fire flow?	YES	Page 7-17, S-6.1 Water Supply. Ensure that water supply infrastructure adequately supports existing and future development and provides adequate water flow to combat structural and wildland fires. Water systems shall equal or exceed the California Fire Code, California Code of Regulations, or, where a municipal-type water supply is unavailable, the latest edition of National Fire Protection Association (NFPA) 1142, "Standard on Water Supplies for Suburban and Rural Fire Fighting."
Location of anticipated water supply?	YES	Page 7-17, S-6.1 Water Supply. Ensure that water supply infrastructure adequately supports existing and future development and provides adequate water flow to combat structural and wildland fires. Water systems shall equal or exceed the California Fire Code, California Code of Regulations, or, where a municipal-type water supply is unavailable, the latest edition of National Fire Protection

Does the plan identify adequate infrastructure for new development related to:	Yes or No	Comments and Recommendations
		Association (NFPA) 1142, "Standard on Water Supplies for Suburban and Rural Fire Fighting."
Maintenance and long-term integrity of water supplies?	YES	Page 7-17 Page 7-17, S-6.1 Water Supply . Ensure that water supply infrastructure adequately supports existing and future development and provides adequate water flow to combat structural and wildland fires. Water systems shall equal or exceed the California Fire Code, California Code of Regulations, or, where a municipal-type water supply is unavailable, the latest edition of National Fire Protection Association (NFPA) 1142, "Standard on Water Supplies for Suburban and Rural Fire Fighting."
Evacuation and emergency vehicle access?	YES	Page 7-15, S-3.8 Evacuation Access . All development proposals are required to identify evacuation routes at the Community Plan level and identify and facilitate the establishment of new routes needed to ensure effective evacuation. Evacuation routes should be incorporated into existing Community Wildfire Protection Plans where available.
Fuel modification and defensible space?	YES	Page 7-15, S-3.3 Minimize Flammable Vegetation . Site and design development to minimize the likelihood of a wildfire spreading to structures by minimizing pockets or peninsulas or islands of flammable vegetation within a development
Vegetation clearance maintenance on public and private roads?	YES	Page 7-15, S-3.5, Access Roads .
Visible home and street addressing and signage?	YES	Page 7-14, Vegetation Management

Does the plan identify adequate infrastructure for new development related to:	Yes or No	Comments and Recommendations
		This also a requirement for the Fire Protection Plan.
Community fire breaks? Is there a discussion of how those fire breaks will be maintained?	YES	Page 7-15, S-4.1 Fuel Management Programs. Support programs and plans, such as Strategic Fire Plans, consistent with state law that requires fuel management/modification, balance fuel management needs to protect structures with the preservation of native vegetation and sensitive habitats.

Section 3 Working cooperatively with public agencies responsible for fire protection.

Question	Yes or No	Comments and Recommendations
Is there a map or description of existing emergency service facilities and areas lacking service, specifically noting any areas in SRAs or VHFHSZs?	YES	Page 7-12, Exhibit S-4: Fire Responsibility Areas
Does the plan include an assessment and projection of future emergency service needs?	YES	Page 7-17, S-6.3 Fire Protection Services for Development. Require that new development demonstrate that fire services can be provided that meet the minimum travel times identified in Table S-3 (Travel Time Standards from Closest Fire Station). S-6.4 Concurrency of Fire Protection Services. Ensure that fire protection staffing, facilities, and equipment required to serve development are operating prior to, or in conjunction with, the development. Allow incremental growth to occur until a new facility can be supported by development.
Are goals or standards for emergency services training described?	YES	Page 7-11, S-2.1 Emergency Management System Training. Conduct annual training sessions using adopted emergency management systems. Coordinate with other jurisdictions to execute a variety of exercises to test operational and emergency plans.

Question	Yes or No	Comments and Recommendations
<p>Does the plan outline inter-agency preparedness coordination and mutual aid multi-agency agreements?</p>	<p>YES</p>	<p>Please See Next page S-2.1 Emergency Management System Training. Conduct annual training sessions using adopted emergency management systems. Coordinate with other jurisdictions to execute a variety of exercises to test operational and emergency plans. S-2.2 Participation in Mutual Aid Systems. Maintain participation in local, regional, state, and national mutual aid systems to ensure that appropriate resources are available for response and recovery during and following a disaster. S-2.3 Familiarity with National and State Response Planning. Ensure that all relevant and pertinent County of San Diego personnel are familiar with the National Incident Management System (NIMS), the National Response Framework (NRF), the State of California Standardized Emergency Management Systems</p>

Sample Safety Element Recommendations

These are examples of specific policies, objectives, or implementation measures that may be used to meet the intent of Government Code sections 65302, subdivision (g)(3) and 65302.5, subdivision (b). Safety element reviewers may make recommendations that are not included here.

A. MAPS, PLANS AND HISTORICAL INFORMATION

1. Include or reference CAL FIRE Fire Hazard Severity Zone maps or locally adopted wildfire hazard zones.
2. Include or reference the location of historical information on wildfires in the planning area.
3. Include a map or description of the location of existing and planned land uses in SRAs and VHFHSZs, particularly habitable structures, roads, utilities, and essential public facilities.
4. Identify or reference a fire plan that is relevant to the geographic scope of the general plan, including the Unit/Contract County Fire Plan, Local Hazard Mitigation Plan, and any applicable Community Wildfire Protection Plans.
5. Align the goals, policies, objectives, and implementation measures for fire hazard mitigation in the safety element with those in existing fire plans, or make plans to update fire plans to match the safety element.
6. Create a fire plan for the planning area.

B. LAND USE

1. Develop fire safe development codes to use as standards for fire protection for new development in SRAs or VHFHSZs that meet or exceed the statewide minimums in the SRA Fire Safe Regulations.
2. Adopt and have certified by the Board of Forestry and Fire Protection local ordinances which meet or exceed the minimum statewide standards in the SRA Fire Safe Regulations.
3. Identify existing development that do not meet or exceed the SRA Fire Safe Regulations or certified local ordinances.
4. Develop mitigation measures for existing development that does not meet or exceed the SRA Fire Safe Regulations or certified local ordinances or identify a policy to do so.

C. FUEL MODIFICATION

1. Develop a policy to communicate vegetation clearance requirements to seasonal, absent, or vacation rental owners.
2. Identify a policy for the ongoing maintenance of vegetation clearance on public and private roads.
3. Include fuel breaks in the layout/siting of subdivisions.
4. Identify a policy for the ongoing maintenance of existing or proposed fuel breaks.
5. Identify and/or map existing development that does not conform to current state and/or locally adopted fire safety standards for access, water supply and fire flow, signing, and vegetation clearance in SRAs or VHFHSZs.
6. Identify plans and actions for existing non-conforming development to be improved or mitigated to meet current state and/or locally adopted fire safety standards for access, water supply and fire flow, signing, and vegetation clearance.

D. ACCESS

1. Develop a policy that approval of parcel maps and tentative maps in SRAs or VHFHSZs is conditional based on meeting the SRA Fire Safe Regulations and the Fire Hazard Reduction Around Buildings and Structures Regulations, particularly those regarding road standards for ingress, egress, and fire equipment access. (See Gov. Code, § 66474.02.)
2. Develop a policy that development will be prioritized in areas with an adequate road network and associated infrastructure.
3. Identify multi-family housing, group homes, or other community housing in SRAs or VHFHSZs and develop a policy to create evacuation or shelter in place plans.
4. Include a policy to develop pre-plans for fire risk areas that address civilian evacuation and to effectively communicate those plans.
5. Identify road networks in SRAs or VHFHSZs that do not meet title 14, CCR, division 1.5, chapter 7, subchapter 2, articles 2 and 3 (commencing with section 1273.00) or certified local ordinance and develop a policy to examine possible mitigations.

E. FIRE PROTECTION

1. Develop a policy that development will be prioritized in areas with adequate water supply infrastructure.
2. Plan for the ongoing maintenance and long-term integrity of planned and existing water supply infrastructure.
3. Map existing emergency service facilities and note any areas lacking service, especially in SRAs or VHFHSZs.
4. Project future emergency service needs for the planned land uses.
5. Include information about emergency service trainings or standards and plans to meet or maintain them.
6. Include information about inter-agency preparedness coordination or mutual aid agreements.

Fire Hazard Planning in Other Elements of the General Plan

When updating the General Plan, here are some ways to incorporate fire hazard planning into other elements. Wildfire safety is best accomplished by holistic, strategic fire planning that takes advantage of opportunities to align priorities and implementation measures within and across plans.

LAND USE ELEMENT

Goals and policies include mitigation of fire hazard for future development or limit development in very high fire hazard severity zones.

Disclose wildland urban-interface hazards, including fire hazard severity zones, and/or other vulnerable areas as determined by CAL FIRE or local fire agency.

Design and locate new development to provide adequate infrastructure for the safe ingress of emergency response vehicles and simultaneously allow citizen egress during emergencies.

Describe or map any Firewise Communities or other fire safe communities as determined by the National Fire Protection Association, Fire Safe Council, or other organization.

HOUSING ELEMENT

Incorporation of current fire safe building codes.

Identify and mitigate substandard fire safe housing and neighborhoods relative to fire hazard severity zones.

Consider diverse occupancies and their effects on wildfire protection (group housing, seasonal populations, transit-dependent, etc).

OPEN SPACE AND CONSERVATION ELEMENTS

Identify critical natural resource values relative to fire hazard severity zones.

Include resource management activities to enhance protection of open space and natural resource values.

Integrate open space into fire safety planning and effectiveness.

Mitigation for unique pest, disease and other forest health issues leading to hazardous situations.

CIRCULATION ELEMENT

Provide adequate access to very high fire hazard severity zones.

Develop standards for evacuation of residential areas in very high fire hazard severity zones.

Incorporate a policy that provides for a fuel reduction maintenance program along roadways.